

EQUIVALENT HI-FORCE MODEL CHART IMPERIAL/METRIC & METRIC/IMPERIAL

MODEL NO.	DESCRIPTION	EQUIVALENT MODEL
BW1-104	Hexagon link for back up wrench, 1.1/4" AF	BW1-32
BW1-110	Hexagon link for back up wrench, 1.5/8" AF	BW1-41
BW1-113	Hexagon link for back up wrench, 1.13/16" AF	BW1-46
BW1-206	Hexagon link for back up wrench, 2.3/8" AF	BW1-60
BW1-32	Hexagon link for back up wrench, 32 mm AF	BW1-104
BW1-41	Hexagon link for back up wrench, 41 mm AF	BW1-110
BW1-46	Hexagon link for back up wrench, 46 mm AF	BW1-113
BW1-60	Hexagon link for back up wrench, 60 mm AF	BW1-206
BW2-209	Hexagon link for back up wrench, 2.9/16" AF	BW2-65
BW2-212	Hexagon link for back up wrench, 2.3/4" AF	BW2-70
BW2-215	Hexagon link for back up wrench, 2.15/16" AF	BW2-75
BW2-302	Hexagon link for back up wrench, 3.1/8" AF	BW2-80
BW2-65	Hexagon link for back up wrench, 65 mm AF	BW2-209
BW2-70	Hexagon link for back up wrench, 70 mm AF	BW2-212
BW2-75	Hexagon link for back up wrench, 75 mm AF	BW2-215
BW2-80	Hexagon link for back up wrench, 80 mm AF	BW2-302
IB27-113-110	Hex. Reducer Bush for TWH27N, 1.13/16" Male, 1.5/8" Female	MB27-46-41
IB27-206-113	Hex. Reducer Bush for TWH27N, 2.3/8" Male, 1.13/16" Female	MB27-60-46
IB54-113-110	Hex. Reducer Bush for TWH54N, 1.13/16" Male, 1.5/8" Female	MB54-46-41
IB54-206-113	Hex. Reducer Bush for TWH54N, 2.3/8" Male, 1.13/16" Female	MB54-60-46
IB54-209-206	Hex. Reducer Bush for TWH54N, 2.9/16" Male, 2.3/8" Female	MB54-65-60
IB54-212-206	Hex. Reducer Bush for TWH54N, 2.3/4" Male, 2.3/8" Female	MB54-70-60
IB54-212-209	Hex. Reducer Bush for TWH54N, 2.3/4" Male, 2.9/16" Female	MB54-70-65
IB54-215-206	Hex. Reducer Bush for TWH54N, 2.15/16" Male, 2.3/8" Female	MB54-75-60
IB54-215-209	Hex. Reducer Bush for TWH54N, 2.15/16" Male, 2.9/16" Female	MB54-75-65
IB54-215-212	Hex. Reducer Bush for TWH54N, 2.15/16" Male, 2.3/4" Female	MB54-75-70
IB54-302-209	Hex. Reducer Bush for TWH54N, 3.1/8" Male, 2.9/16" Female	MB54-80-65
IB54-302-212	Hex. Reducer Bush for TWH54N, 3.1/8" Male, 2.3/4" Female	MB54-80-70
IB54-302-215	Hex. Reducer Bush for TWH54N, 3.1/8" Male, 2.15/16" Female	MB54-80-75
IB120-209-206	Hex. Reducer Bush for TWH120N, 2.9/16" Male, 2.3/8" Female	MB120-65-60
IB120-212-206	Hex. Reducer Bush for TWH120N, 2.3/4" Male, 2.3/8" Female	MB120-70-60

EQUIVALENT HI-FORCE MODEL CHART IMPERIAL/METRIC & METRIC/IMPERIAL

MODEL NO.	DESCRIPTION	EQUIVALENT MODEL
IB120-212-209	Hex. Reducer Bush for TWH120N, 2.3/4" Male, 2.9/16" Female	MB120-70-65
IB120-215-206	Hex. Reducer Bush for TWH120N, 2.15/16" Male, 2.3/8" Female	MB120-75-60
IB120-215-209	Hex. Reducer Bush for TWH120N, 2.15/16" Male, 2.9/16" Female	MB120-75-65
IB120-215-212	Hex. Reducer Bush for TWH120N, 2.15/16" Male, 2.3/4" Female	MB120-75-70
IB120-302-209	Hex. Reducer Bush for TWH120N, 3.1/8" Male, 2.9/16" Female	MB120-80-65
IB120-302-212	Hex. Reducer Bush for TWH120N, 3.1/8" Male, 2.3/4" Female	MB120-80-70
IB120-302-215	Hex. Reducer Bush for TWH120N, 3.1/8" Male, 2.15/16" Female	MB120-80-75
IB210-215-212	Hex. Reducer Bush for TWH210N, 2.15/16" Male, 2.3/4" Female	MB210-75-70
IB210-302-212	Hex. Reducer Bush for TWH210N, 3.1/8" Male, 2.3/4" Female	MB210-80-70
IB210-302-215	Hex. Reducer Bush for TWH210N, 3.1/8" Male, 2.15/16" Female	MB210-80-75
IS2-101	3/4" Drive Standard Length Impact Socket, 1.1/16" AF	MS2-27
IS2-110	3/4" Drive Standard Length Impact Socket, 1.5/8" AF	MS2-41
IS2-113	3/4" Drive Standard Length Impact Socket, 1.13/16" AF	MS2-46
IS2-206	3/4" Drive Standard Length Impact Socket, 2.3/8" AF	MS2-60
IS9-101	1" Drive Standard Length Impact Socket, 1.1/16" AF	MS9-27
IS9-104	1" Drive Standard Length Impact Socket, 1.1/4" AF	MS9-32
IS9-110	1" Drive Standard Length Impact Socket, 1.5/8" AF	MS9-41
IS9-113	1" Drive Standard Length Impact Socket, 1.13/16" AF	MS9-46
IS9-206	1" Drive Standard Length Impact Socket, 2.3/8" AF	MS9-60
IS9-209	1" Drive Standard Length Impact Socket, 2.9/16" AF	MS9-65
IS9-212	1" Drive Standard Length Impact Socket, 2.3/4" AF	MS9-70
IS9-215	1" Drive Standard Length Impact Socket, 2.15/16" AF	MS9-75
IS9-302	1" Drive Standard Length Impact Socket, 3.1/8" AF	MS9-80
IS5-113	1.1/2" Drive Standard Length Impact Socket, 1.13/16" AF	MS5-46
IS5-206	1.1/2" Drive Standard Length Impact Socket, 2.3/8" AF	MS5-60
IS5-209	1.1/2" Drive Standard Length Impact Socket, 2.9/16" AF	MS5-65
IS5-212	1.1/2" Drive Standard Length Impact Socket, 2.3/4" AF	MS5-70
IS5-215	1.1/2" Drive Standard Length Impact Socket, 2.15/16" AF	MS5-75
IS5-302	1.1/2" Drive Standard Length Impact Socket, 3.1/8" AF	MS5-80
IS6-302	2.1/2" Drive Standard Length Impact Socket, 3.1/8" AF	MS6-80
MB27-46-41	Hex. Reducer Bush for TWH27N, 46mm Male, 41mm Female	IB27-113-110

EQUIVALENT HI-FORCE MODEL CHART IMPERIAL/METRIC & METRIC/IMPERIAL

MODEL NO.	DESCRIPTION	EQUIVALENT MODEL
MB27-60-46	Hex. Reducer Bush for TWH27N, 60mm Male, 46mm Female	IB27-206-113
MB54-46-41	Hex. Reducer Bush for TWH54N, 46mm Male, 41mm Female	IB54-113-110
MB54-60-46	Hex. Reducer Bush for TWH54N, 60mm Male, 46mm Female	IB54-206-113
MB54-65-60	Hex. Reducer Bush for TWH54N, 65mm Male, 60mm Female	IB54-209-206
MB54-70-60	Hex. Reducer Bush for TWH54N, 70mm Male, 60mm Female	IB54-212-206
MB54-70-65	Hex. Reducer Bush for TWH54N, 70mm Male, 65mm Female	IB54-212-209
MB54-75-60	Hex. Reducer Bush for TWH54N, 75mm Male, 60mm Female	IB54-215-206
MB54-75-65	Hex. Reducer Bush for TWH54N, 75mm Male, 65mm Female	IB54-215-209
MB54-75-70	Hex. Reducer Bush for TWH54N, 75mm Male, 70mm Female	IB54-215-212
MB54-80-65	Hex. Reducer Bush for TWH54N, 80mm Male, 65mm Female	IB54-302-209
MB54-80-70	Hex. Reducer Bush for TWH54N, 80mm Male, 70mm Female	IB54-302-212
MB54-80-75	Hex. Reducer Bush for TWH54N, 80mm Male, 75mm Female	IB54-302-215
MB120-65-60	Hex. Reducer Bush for TWH120N, 65mm Male, 60mm Female	IB120-209-206
MB120-70-60	Hex. Reducer Bush for TWH120N, 70mm Male, 60mm Female	IB120-212-206
MB120-70-65	Hex. Reducer Bush for TWH120N, 70mm Male, 65mm Female	IB120-212-209
MB120-75-60	Hex. Reducer Bush for TWH120N, 75mm Male, 60mm Female	IB120-215-206
MB120-75-65	Hex. Reducer Bush for TWH120N, 75mm Male, 65mm Female	IB120-215-209
MB120-75-70	Hex. Reducer Bush for TWH120N, 75mm Male, 70mm Female	IB120-215-212
MB120-80-65	Hex. Reducer Bush for TWH120N, 80mm Male, 65mm Female	IB120-302-209
MB120-80-70	Hex. Reducer Bush for TWH120N, 80mm Male, 70mm Female	IB120-302-212
MB120-80-75	Hex. Reducer Bush for TWH120N, 80mm Male, 75mm Female	IB120-302-215
MB210-75-70	Hex. Reducer Bush for TWH210N, 75mm Male, 70mm Female	IB210-215-212
MB210-80-70	Hex. Reducer Bush for TWH210N, 80mm Male, 70mm Female	IB210-302-212
MB210-80-75	Hex. Reducer Bush for TWH210N, 80mm Male, 75mm Female	IB210-302-215
MS2-27	3/4" Drive Standard Length Impact Socket, 27mm AF	IS2-101
MS2-32	3/4" Drive Standard Length Impact Socket, 32mm AF	IS2-104
MS2-41	3/4" Drive Standard Length Impact Socket, 41mm AF	IS2-110
MS2-46	3/4" Drive Standard Length Impact Socket, 46mm AF	IS2-113
MS2-60	3/4" Drive Standard Length Impact Socket, 60mm AF	IS2-206
MS5-46	1.1/2" Drive Standard Length Impact Socket, 46mm AF	IS5-113
MS5-60	1.1/2" Drive Standard Length Impact Socket, 60mm AF	IS5-206

EQUIVALENT HI-FORCE MODEL CHART IMPERIAL/METRIC & METRIC/IMPERIAL

MODEL NO.	DESCRIPTION	EQUIVALENT MODEL
MS5-65	1.1/2" Drive Standard Length Impact Socket, 65mm AF	IS5-209
MS5-70	1.1/2" Drive Standard Length Impact Socket, 70mm AF	IS5-212
MS5-75	1.1/2" Drive Standard Length Impact Socket, 75mm AF	IS5-215
MS5-80	1.1/2" Drive Standard Length Impact Socket, 80mm AF	IS5-302
MS6-80	2.1/2" Drive Standard Length Impact Socket, 80mm AF	IS6-302
MS9-27	1" Drive Standard Length Impact Socket, 27mm AF	IS9-101
MS9-32	1" Drive Standard Length Impact Socket, 32mm AF	IS9-104
MS9-41	1" Drive Standard Length Impact Socket, 41mm AF	IS9-110
MS9-46	1" Drive Standard Length Impact Socket, 46mm AF	IS9-113
MS9-60	1" Drive Standard Length Impact Socket, 60mm AF	IS9-206
MS9-65	1" Drive Standard Length Impact Socket, 65mm AF	IS9-209
MS9-70	1" Drive Standard Length Impact Socket, 70mm AF	IS9-212
MS9-75	1" Drive Standard Length Impact Socket, 75mm AF	IS9-215
MS9-80	1" Drive Standard Length Impact Socket, 80mm AF	IS9-302
TWH27NRH-32	Ratchet Head	TWH27NRH1.1/4
TWH27NRH-41	Ratchet Head	TWH27NRH1.5/8
TWH27NRH-46	Ratchet Head	TWH27NRH1.13/16
TWH27NRH-60	Ratchet Head	TWH27NRH2.3/8
TWH27NRH1.1/16	Ratchet Head	TWH27NRH-27
TWH27NRH1.1/4	Ratchet Head	TWH27NRH-32
TWH27NRH1.5/8	Ratchet Head	TWH27NRH-41
TWH27NRH1.13/16	Ratchet Head	TWH27NRH-46
TWH27NRH2.3/8	Ratchet Head	TWH27NRH-60
TWH54NRH-41	Ratchet Head	TWH54NRH-41
TWH54NRH-46	Ratchet Head	TWH54NRH1.13/16
TWH54NRH-60	Ratchet Head	TWH54NRH2.3/8
TWH54NRH-65	Ratchet Head	TWH54NRH2.9/16
TWH54NRH-70	Ratchet Head	TWH54NRH2.3/4
TWH54NRH-75	Ratchet Head	TWH54NRH2.15/16
TWH54NRH-80	Ratchet Head	TWH54NRH3.1/8
TWH54NRH1.5/8	Ratchet Head	TWH54NRH-41

EQUIVALENT HI-FORCE MODEL CHART IMPERIAL/METRIC & METRIC/IMPERIAL

MODEL NO.	DESCRIPTION	EQUIVALENT MODEL
TWH54NRH1.13/16	Ratchet Head	TWH54NRH-46
TWH54NRH2.3/8	Ratchet Head	TWH54NRH-60
TWH54NRH2.9/16	Ratchet Head	TWH54NRH-65
TWH54NRH2.3/4	Ratchet Head	TWH54NRH-70
TWH54NRH2.15/16	Ratchet Head	TWH54NRH-75
TWH54NRH3.1/8	Ratchet Head	TWH54NRH-80
TWH120NRH-60	Ratchet Head	TWH120NRH2.3/8
TWH120NRH-65	Ratchet Head	TWH120NRH2.9/16
TWH120NRH-70	Ratchet Head	TWH120NRH2.3/4
TWH120NRH-75	Ratchet Head	TWH120NRH2.15/16
TWH120NRH-80	Ratchet Head	TWH120NRH3.1/8
TWH120NRH2.3/8	Ratchet Head	TWH120NRH-60
TWH120NRH2.9/16	Ratchet Head	TWH120NRH-65
TWH120NRH2.3/4	Ratchet Head	TWH120NRH-70
TWH120NRH2.15/16	Ratchet Head	TWH120NRH-75
TWH120NRH3.1/8	Ratchet Head	TWH120NRH-80
TWH210NRH-70	Ratchet Head	TWH210NRH2.3/4
TWH210NRH-75	Ratchet Head	TWH210NRH2.15/16
TWH210NRH-80	Ratchet Head	TWH210NRH3.1/8
TWH210NRH2.3/4	Ratchet Head	TWH210NRH-70
TWH210NRH2.15/16	Ratchet Head	TWH210NRH-75
TWH210NRH3.1/8	Ratchet Head	TWH210NRH-80
TWH430NRH-80	Ratchet Head	TWH430NRH3.1/8
TWH430NRH3.1/8	Ratchet Head	TWH430NRH-80